



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

10761
DAS 21
RBEL135M-2901-101-01

Job Sheet 188487



Part No: RBEL135M-2901-101-01

Job Qty: 2 pcs

Part Name: Case



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 1/10/19

Job Tracking No:

Due Date: 1/18/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBEL135M-2901-101 Rev.A IPP Rev. A 18.11.19 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Standard		Workcenter / Supplier Lead Time	Sign-off
				Due Date	Setup Run Hrs Hrs		
100	NV5000 - 1	2 pcs	1/18/19	0.00	4.00	NV5000 - 1	
						NV5000 - 2	
110	QC 2	2 pcs	1/18/19	0.00	0.00	QC 2 - 1	
						QC 2 - 12	
						QC 2 - 14	
						QC 2 - 17	
						QC 2 - 19	
						QC 2 - 2	
						QC 2 - 20	
						QC 2 - 22	
						QC 2 - 23	
						QC 2 - 25	
						QC 2 - 32	
						QC 2 - 33	
						QC 2 - 35	
						QC 2 - 38	
						QC 2 - 39	
						QC 2 - 4	
						QC 2 - 40	
						QC 2 - 44	
						QC 2 - 45	
						QC 2 - 48	
						QC 2 - 49	
						QC 2 - 50	
						QC 2 - 51	
						QC 2 - 52	
						QC 2 - 54	
						QC 2 - 56	
						QC 2 - 57	
						QC 2 - 62	
						QC 2 - 63	
						QC 2 - 8	



Container No: S144435



Part: RBEL135M-2901-101-01

Job No: 188487

Serial No/Batch: S144435

Revision: A

Inspector:

Exp Date:

Instructions:

Date: 01/14/19

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			

120	Outsource - 4 - Anodize	2 pcs	1/18/19		GRO002-VC	ATG	CC19-0-17
130	Packaging 2-1 - Receive - B4B	2 pcs	1/18/19	0.00 0.00	Packaging 2 - 1 - B4B		
					Packaging 2 - 2 - B4B		
					Packaging 2 - 3 - B4B		
					Packaging 2 - 5 - B4B		
					Packaging 2 - 4 - B4B		
					Packaging 2 - 6 - B4B		
					Packaging 2 - 7 - B4B		
					Packaging 2 - 8 - B4B		
					Packaging 2 - 9 - B4B		
					Packaging 2 - 10 - B4B		
					Packaging 2 - 11 - B4B		
					Packaging 2 - 12 - B4B		
					Packaging 2 - 13 - B4B		
					Packaging 2 - 14 - B4B		
					Packaging 2 - 15 - B4B		
					Packaging 2 - 16 - B4B		
					Packaging 2 - 17 - B4B		
					Packaging 2 - 18 - B4B		
					Packaging 2 - 19 - B4B		
					Packaging 2 - 20 - B4B		
					Packaging 2 - 21 - B4B		
					Packaging 2 - 22 - B4B		
					Packaging 2 - 23 - B4B		
					Packaging 2 - 24 - B4B		
					Packaging 2 - 25 - B4B		
					Packaging 2 - 26 - B4B		
140	QC 6	2 pcs	1/18/19	0.00 0.00	QC 6 - 38		
					QC 6 - 42		
					QC 6 - 9		
					QC 6 - 68		
					QC 6 - 61		
150	Packaging 3-1 - Stock - B4B	2 pcs	1/18/19	0.00 0.00	Packaging 3 - 1 - B4B		
					Packaging 3 - 2 - B4B		
					Packaging 3 - 3 - B4B		
					Packaging 3 - 4 - B4B		
					Packaging 3 - 5 - B4B		
					Packaging 3 - 6 - B4B		
					Packaging 3 - 7 - B4B		
					Packaging 3 - 8 - B4B		
					Packaging 3 - 9 - B4B		
					Packaging 3 - 10 - B4B		
					Packaging 3 - 11 - B4B		
					Packaging 3 - 12 - B4B		
					Packaging 3 - 13 - B4B		
					Packaging 3 - 14 - B4B		
					Packaging 3 - 15 - B4B		
					Packaging 3 - 16 - B4B		
					Packaging 3 - 17 - B4B		
					Packaging 3 - 18 - B4B		
					Packaging 3 - 19 - B4B		
					Packaging 3 - 20 - B4B		
					Packaging 3 - 21 - B4B		
					Packaging 3 - 22 - B4B		
					Packaging 3 - 23 - B4B		
					Packaging 3 - 24 - B4B		
					Packaging 3 - 25 - B4B		
					Packaging 3 - 26 - B4B		
160	QC 21 - SA	2 pcs	1/18/19	0.00 0.00	QC 21 - SA - 21		

JAN 21 2019

DAS
38
9-89

Daral

GA135

JAN 22 2019

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐ _____					

Part Op 100 - **CUT TO 9.24" LONG** 1-Machine as per folio FC498 FOLIO REV: AA DWG REV: A
Descriptions: 2-Deburr 4-Use fixture RBEL135M-2905-101-01 on shelf A
120 - -Issue P/O; 042306 -ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1, Water sealant
-Material type; 6061T6 -Certificate of Conformity is required
130 - -Certificate of Conformity is required

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M6061T6S1.250X6.000	6061T6 PLATE 1.250 X 6.000	1.5400 ft (.77 ea)	100-NV5000 - 1	-5080896 5080940

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-NV5000 - 1	M6061T6S1.250X6.000	2	9	0

Part Specifications

Specifications could not be found.

Plex 1/10/19 10:14 AM Dart.lajeunesse.marie

MATI
used
2.77
used
.770



DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor Approval Verification
					QC / QA Coordinator Approval
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : ☐	

DART AEROSPACE LTD		Work Order:	188487
Description: Case		Part Number:	ABEL135M-2901-101-01
Inspection Dwg: ABEL135M-2901-101		Rev: A	Page 1 of 1

INSPECTION SHEET


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
8.998	± 0.005	8.998	✓		Caliper	
Ø 5.671	± 0.005	5.671	✓		Caliper	JCL-08
Ø 4.731	± 0.005	4.726	✓			
Ø 3.663	± 0.005	3.663	✓			
Ø 2.207	± 0.005	2.206	✓			
Ø 1.498	± 0.005	1.500	✓			
Ø 1.179	± 0.001 -0.000	1.1795	✓		Bore Gauge	
Ø 0.276	± 0.005	0.276	✓		Caliper	JCL-08
Ø 0.485	± 0.010 ± 0.005	0.484	✓			
BC Ø 5.198	± 0.005	5.191	✓			
2.186	± 0.005	2.186	✓			
1.674	± 0.005	1.673	✓			
BC 3.206	± 0.005	3.202	✓			
0.125	± 0.005	0.125	✓			
0.348	± 0.005	0.350	✓			
0.584	± 0.005	0.584	✓			
0.709	± 0.005	0.709	✓			
1.228	± 0.005	1.228	✓			
0.473	± 0.005	0.473	✓			
5.272	± 0.005	5.273	✓			
1.693	± 0.005	1.693	✓			
0.237	± 0.005	0.237	✓			

Measured by: JCL-L	Checked by: [Signature]	QC Inspector:
Date: 19-01-13	Date: 19/01/14	Date:


Engineering Approval: (If necessary)	Date:
--	--------------

Rev	Date	Change	Revised by	Approved
A	14.07.31	New Issue	KJ	


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Hawthorn, ON.



(01)
CASE



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 188487 MCL
190110



DART AEROSPACE																															
HYDRAULIC PUMP DRIVE TOOL																															
DWG NO.	REV																														
RBEL135M-2901-101-01	A																														
<table border="1"> <tr> <td>MATL 6061</td> <td>UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td>TREAT</td> <td>DIMENSIONS ARE IN INCHES</td> </tr> <tr> <td>FINISH CLEAR ANODIZE</td> <td>XX ± .005 FRACTIONS ± 1/16</td> </tr> <tr> <td>SPEC MIL-A-8625F, TYPE II, CLASS I</td> <td>XX ± .01 ANGLES ± 5°</td> </tr> <tr> <td></td> <td>XX ± .1 SURFACES ± 125</td> </tr> <tr> <td>DRAWN BY: KK</td> <td>1. BREAK ALL SHARP EDGES</td> </tr> <tr> <td>CHECKED: ML</td> <td>.015 x 45° OR .016</td> </tr> <tr> <td>OPPS APPR: NA</td> <td>2. DIMENSIONAL LIMITS APPLY</td> </tr> <tr> <td>QA APPR: NA</td> <td>AFTER PLATING</td> </tr> <tr> <td></td> <td>3. INTERPRET DIM AND TOL PER</td> </tr> <tr> <td></td> <td>ASME Y14.5M-2009</td> </tr> <tr> <td></td> <td>USED ON MODEL</td> </tr> <tr> <td></td> <td>EUROCOPTER EC135</td> </tr> <tr> <td>SCALE 1:2</td> <td>DATE 08/27/2018</td> </tr> <tr> <td></td> <td>SHEET 3 OF 18</td> </tr> </table>		MATL 6061	UNLESS OTHERWISE SPECIFIED	TREAT	DIMENSIONS ARE IN INCHES	FINISH CLEAR ANODIZE	XX ± .005 FRACTIONS ± 1/16	SPEC MIL-A-8625F, TYPE II, CLASS I	XX ± .01 ANGLES ± 5°		XX ± .1 SURFACES ± 125	DRAWN BY: KK	1. BREAK ALL SHARP EDGES	CHECKED: ML	.015 x 45° OR .016	OPPS APPR: NA	2. DIMENSIONAL LIMITS APPLY	QA APPR: NA	AFTER PLATING		3. INTERPRET DIM AND TOL PER		ASME Y14.5M-2009		USED ON MODEL		EUROCOPTER EC135	SCALE 1:2	DATE 08/27/2018		SHEET 3 OF 18
MATL 6061	UNLESS OTHERWISE SPECIFIED																														
TREAT	DIMENSIONS ARE IN INCHES																														
FINISH CLEAR ANODIZE	XX ± .005 FRACTIONS ± 1/16																														
SPEC MIL-A-8625F, TYPE II, CLASS I	XX ± .01 ANGLES ± 5°																														
	XX ± .1 SURFACES ± 125																														
DRAWN BY: KK	1. BREAK ALL SHARP EDGES																														
CHECKED: ML	.015 x 45° OR .016																														
OPPS APPR: NA	2. DIMENSIONAL LIMITS APPLY																														
QA APPR: NA	AFTER PLATING																														
	3. INTERPRET DIM AND TOL PER																														
	ASME Y14.5M-2009																														
	USED ON MODEL																														
	EUROCOPTER EC135																														
SCALE 1:2	DATE 08/27/2018																														
	SHEET 3 OF 18																														



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

PURCHASE ORDER PO042306



Tel (613) 632-5200

Supplier: ATG001-VC
A.T.G. Industries Inc
731 INDUSTRIELLE ROAD
ROCKLAND
ON
K4K 1T2 Canada
Phone: 613-446-4544
Fax: 613-446-4556

PO No: PO042306
PO Date: 1/17/19
Due Date: 1/21/19
**Purchase Order
Revision:**
Revision Date:
Ship-To Contact: Tsimiklis, ChrisoulaPhone:

Attention: Lalande, Marc-Andre

Via: Ground

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Pymt Terms: Net 30

Freight Terms:

Special Comments: MONDAY :)

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	188487	RBEL135M-2901-101-01	Case -Issue P/O; -ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1, Water sealant -Material type; 6061T6 -Certificate of Conformity is required	Firmed	-	1/21/19	4 pcs	0 pcs	4 pcs	\$6.39/pcs	\$25.56
2	188872	RBEL135M-2905-101-01	Case -Issue P/O to ATG; PO -ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1, Water sealant -Certificate of Conformity is required	Firmed	-	1/21/19	1 pcs	0 pcs	1 pcs	\$6.39/pcs	\$6.39
3	188495	RBEL135M-2901-101-15	Clamp -Issue P/O; -ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1, Water sealant -Material type; 6061T6 -Certificate of Conformity is required	Firmed	-	1/21/19	5 pcs	0 pcs	5 pcs	\$6.39/pcs	\$31.95



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042306



Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4	188640	RBT112800-1	Base (Outsource process- Anodize per QSI017 4.1.10.1) -Issue P/O to ATG: _____ - ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 WATER SEAL As per Dwg RBT112800 Rev. 3A -Certificate of Conformity is required	Firmed	-	1/21/19	5 pcs	0 pcs	5 pcs	\$6.39/pcs	\$31.95
5	184408	RB T103065-3	Support -Issue P/O to ATG; PO _____ -ANODIZE COLOR BLACK, PER IAW MIL-A- 8625F TYPE 2 CLASS 2, Water sealant -Material type; 6061T6 -Certificate of Conformity is required	Firmed	-	1/21/19	8 pcs	0 pcs	8 pcs	\$6.39/pcs	\$51.12
6	188590	D5532-041	Valve Cap Assembly : Various STC's Issue P/O: _____ Blue Anodize as per Dwg D5532 BLUE ANODIZE PER MIL-A-8625F TYPE I or IB or IC or II or IIB CLASS 2	Firmed	-	1/21/19	20 pcs	0 pcs	20 pcs	\$6.39/pcs	\$127.80
7	188489	RBEL135M- 2901-101-05	Top Cover -Issue P/O; _____ -ANODIZE COLOR CLEAR, PER IAW MIL-A- 8625F TYPE 2 CLASS 1, Water sealant -Material type; 6061T6 -Certificate of Conformity is required	Firmed	-	1/21/19	4 pcs	0 pcs	4 pcs	\$6.39/pcs	\$25.56
Grand Total:										\$300.33	

4 x

JAN 21 2019



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO042306



Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 1/21/19 9:46 AM dart.tsimiklis.chrisoula



A.T.G. Industries Inc.
731 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 917071

Date: 21-Jan-19

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chrisoula Tsimiklis
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		ATG Delivery	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
✓ 4 ea	Part: RBEL135M-2901-101-05 Top Cover Anodize per MIL-A-8625F, Type II, Class 1, Clear, .0004-.0010" (.4 - 1 mils), Water Sealant Job: 24509	Rev: A PO: PO042306	Line:
✓ 4 ea	Part: RBEL135M-2901-101-01 Case Anodize per MIL-A-8625F, Type II, Class 1, Clear, .0004-.0010" (.4 - 1 mils), Water Sealant Job: 24503	Rev: A PO: PO042306	Line: 1 ✓
5 ea	Part: RBT112800-1 Base Anodize per MIL-A-8625F, Type II, Class 1, Clear, .0004-.0010" (.4 - 1 mils) Water Seal Job: 24506	Rev: 3A PO: PO042306	Line: 4
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>21/1/19</u> Certified Signature: <u>[Signature]</u> Receiver Signature: _____ A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. Made in Canada.			